

instruction set of 8086 microprocessor notes File PDF

Microprocessor Programs 8086

The Intel 8086 microprocessor is one of the most influential and widely studied processors in the history of computing. Introduced in 1978, it marked a significant milestone in the evolution of microprocessors, establishing the x86 architecture that continues to define modern computer systems today. Microprocessor programs for the 8086 are essential for understanding how this processor operates, how software interacts with hardware, and how to develop efficient and optimized code for various applications. Whether you are a student, a developer, or an enthusiast, mastering 8086 programming provides valuable insights into low-level programming, assembly language, and the fundamentals of computer architecture.

Overview of the 8086 Microprocessor

The Intel 8086 is a 16-bit microprocessor with a 16-bit data bus and a 20-bit address bus, capable of addressing up to 1MB of memory. It was designed to be compatible with the earlier 8080 and 8085 processors, but it introduced a new architecture that supported higher performance and more complex programming capabilities.

Key Features of the 8086 Microprocessor:

- 16-bit Data Bus: Facilitates efficient data transfer.
- 20-bit Address Bus: Allows addressing of 1MB memory space.
- Register Set: Includes general-purpose registers, segment registers, and special registers.
- Instruction Set: Supports a rich set of instructions for data manipulation, control, and I/O operations.
- Segmented Memory Model: Uses segment registers to access different memory segments efficiently.
- Modes of Operation: Primarily operates in real mode, with support for protected mode in later processors.

Understanding these features is fundamental when writing programs for the 8086, as they influence how instructions are written, how memory is accessed, and how the processor handles data.

Programming the 8086 Microprocessor

Programming the 8086 involves writing assembly language programs that directly control hardware operations. Assembly language provides a human-readable form of machine code, enabling programmers to write efficient and precise instructions.

Key Aspects of 8086 Programming:

- Assembly Language Syntax: Uses mnemonics like MOV, ADD, SUB, etc.
- Memory Management: Utilizes segment registers (CS, DS, ES, SS) to access different memory segments.
- Data Types: Works with bytes, words (16 bits), and double words.
- Input/Output Operations: Uses IN and OUT instructions for hardware communication.
- Interrupts: Handles hardware or software interrupts for efficient control flow.
- Macros and Procedures: Facilitates code reuse and modular programming.

Programming for the 8086 requires a good understanding of its architecture, instruction set, and memory model, which are all critical for developing effective programs.

Common Microprocessor Programs in 8086

Various types of programs are written for the 8086 microprocessor, ranging from simple data transfer routines to complex algorithms and operating system components.

- Basic Data Transfer Program

This program demonstrates moving data between registers and memory locations.

```
``assembly
```

```
MOV AX, 1234h ; Load immediate data into AX register
```

```
MOV BX, AX ; Transfer data from AX to BX
```

```
MOV [2000h], BX ; Store data from BX into memory address 2000h
```

```
``
```

- Arithmetic Operations

Programs that perform addition, subtraction, multiplication, and division.

```
``assembly
```

```
MOV AX, 10
```

```
MOV BX, 20
```

```
ADD AX, BX ; AX now contains 30
```

```
SUB AX, 5 ; AX now contains 25
```

```
``
```

- Looping and Conditional Statements

Using labels and jump instructions for control flow.

```
``assembly
```

```
MOV CX, 5 ; Loop counter
```

```
START:
```

```
; Perform some operation
```

```
LOOP START ; Repeat until CX=0
```

```
``
```

- Input/Output Program

Reading from keyboard or printing to screen using BIOS or DOS interrupts.

```
``assembly
```

```
MOV AH, 01h ; Function to read character from keyboard
```

```
INT 21h ; DOS interrupt
```

...

- String Processing

Using string instructions like MOVS, CMPS for text manipulation.

```
``assembly
```

```
LEA SI, String1
```

```
LEA DI, String2
```

```
MOV CX, Length
```

```
REP MOVSB ; Copy string from String1 to String2
```

...

Memory Segmentation and Addressing in 8086 Programs

One of the core concepts in 8086 programming is understanding how memory segmentation works. The 8086 uses segment registers to access different regions of memory, which is vital for writing programs that handle data effectively.

Segment Registers:

- CS (Code Segment): Points to the segment containing the code.
- DS (Data Segment): Usually points to the data used by the program.
- SS (Stack Segment): Used for stack operations.
- ES (Extra Segment): Used for additional data or string operations.

Address Calculation:

The physical address in memory is calculated as:

``Physical Address = (Segment Register 16) + Offset``

This segmentation model allows for efficient memory management but requires careful handling to avoid conflicts and errors.

Programming Tools and Assemblers for 8086

To write, assemble, and debug programs for the 8086, several tools are available:

- MASM (Microsoft Macro Assembler): A popular assembler for 8086 assembly language.
- TASM (Turbo Assembler): An alternative assembler with powerful features.
- DOSBox or Emulator: Software to simulate 8086 environment on modern systems.
- Debug: A command-line tool to test and debug assembly programs.

Using these tools, programmers can develop and test their 8086 programs efficiently, facilitating learning and application development.

Sample 8086 Program: Simple Addition

Below is a simple example program that adds two numbers and displays the result:

```
``assembly

.model small

.stack 100h

.data

num1 dw 5

num2 dw 10

result dw ?

.code

main proc

mov ax, @data

mov ds, ax

mov ax, num1
```

```
add ax, num2

mov result, ax

; Program ends here

mov ah, 4Ch

int 21h

main endp

end main

...
```

This program initializes data, performs addition, stores the result, and terminates. Such programs form the foundation for more complex applications.

Applications of 8086 Microprocessor Programming

8086 programming is not just academic; it has practical applications in various fields:

- Embedded Systems: Small embedded devices with custom firmware.
- Educational Tools: Teaching computer architecture and assembly language.
- Device Drivers: Low-level hardware control.
- Legacy Systems Maintenance: Maintaining older software that runs on 8086-based systems.
- Simulation and Emulation: Creating virtual environments for testing.

Mastering 8086 microprocessor programs enables developers to work at the hardware level, optimize performance, and understand the fundamentals of computing systems.

Conclusion

Microprocessor programs 8086 form the backbone of early PC computing and continue to be a vital educational resource for understanding computer architecture, assembly language, and low-level programming. From simple data transfer routines to complex algorithms, programming the 8086 requires a solid grasp of its architecture, instruction set, and memory management techniques. By practicing writing and debugging 8086 programs, developers gain valuable insights into how computers process data at the hardware level, laying a strong foundation for advanced topics in

computer engineering and software development.

Whether you are interested in legacy system maintenance, embedded systems, or fundamental computing concepts, mastering 8086 programming opens a door to the core principles that power modern processors.

Microprocessor Programs 8086: An In-Depth Investigation

The Intel 8086 microprocessor stands as a pivotal milestone in the evolution of computing technology. Launched in 1978, the 8086 laid the groundwork for the x86 architecture, which continues to dominate personal computing environments today. Understanding the microprocessor programs associated with the 8086 provides valuable insights into its functionality, programming paradigms, and enduring legacy. This article offers a comprehensive examination of 8086 microprocessor programs, exploring its architecture, programming techniques, instruction set, and practical applications.

Introduction to the Intel 8086 Microprocessor

The Intel 8086 is a 16-bit microprocessor with a 20-bit address bus, capable of addressing up to 1MB of memory. Its design introduced a segmented memory model, enabling efficient handling of larger memory spaces. The 8086's architecture was innovative for its time, combining complex instruction sets with relatively straightforward programming approaches.

Key Features of 8086:

- 16-bit data bus
- 20-bit address bus
- 16-bit registers
- Segmented memory architecture
- Support for real mode operation
- Rich instruction set suitable for various applications

The 8086's programming environment was primarily assembly language, demanding a detailed understanding of hardware features, register management, and instruction execution.

Fundamentals of 8086 Microprocessor Programming

Programming the 8086 involves writing assembly code that directly interacts with the processor's registers, memory, and I/O ports. Such programs typically serve purposes ranging from simple calculations to complex control systems.

Assembly Language Programming: An Overview

Assembly language for the 8086 provides mnemonics for machine instructions, making programming more manageable. The main aspects include:

- Use of registers (AX, BX, CX, DX, SI, DI, BP, SP)
- Segment registers (CS, DS, ES, SS)
- Instruction set tailored for data movement, arithmetic, logic, control, and string operations
- Handling of interrupts and I/O operations

Setting Up the Programming Environment

Developing 8086 programs historically involved assemblers such as MASM, TASM, or NASM, along with simulators or actual hardware setups. The typical workflow includes:

- Writing assembly code using an editor
- Assembling the code into machine language
- Linking and loading the program into memory
- Executing on an 8086-based system or simulator

Core Instruction Set and Programming Techniques

The 8086 instruction set is extensive, with over 100 instructions encompassing data transfer, arithmetic, control, string, and flag operations. Understanding these instructions is vital for effective programming.

Data Transfer Instructions

These instructions move data between registers, memory, and I/O ports.

- MOV: Transfer data
- PUSH/POP: Stack operations
- XCHG: Exchange data between registers

Arithmetic and Logic Instructions

Perform calculations and logical operations.

- ADD/SUB: Addition and subtraction
- MUL/IMUL: Multiplication
- DIV/IDIV: Division
- AND, OR, XOR, NOT: Logical operations
- INC/DEC: Increment/decrement

Control Flow Instructions

Manage program execution flow.

- JMP: Unconditional jump
- JE/JNE: Conditional jumps based on flags
- CALL/RET: Subroutine calls and returns
- LOOP: Loop control based on CX register

String Operations

Special instructions optimize string processing.

- MOVS, CMPS, SCAS, STOS, LODS: String instructions
- REP prefixes: Repeat instructions for string processing

Segmented Memory Model and its Programming Implications

The 8086's segmented memory was a novel approach, dividing memory into segments, each with a 16-bit segment register and a 16-bit offset. This model facilitated addressing larger memory spaces but also added complexity to programming.

Segment Registers and Their Uses

- CS (Code Segment): Holds the segment address of the program code
- DS (Data Segment): Default for data access
- SS (Stack Segment): Manages stack data
- ES (Extra Segment): Additional data segment for string operations

Addressing Modes

The 8086 supports multiple addressing modes, including:

- Register addressing
- Immediate addressing
- Direct addressing
- Indirect addressing (via registers)
- Indexed addressing (using SI and DI)
- Based addressing (using BP)

These modes provide flexibility but require careful management of segment and offset addresses during programming.

Practical Applications and Programming Examples

8086 microprocessor programs have historically been used in various domains, including embedded systems, early personal computers, and educational tools. Here, we examine some typical programming tasks and sample code snippets.

Example 1: Simple Addition Program

```
``assembly

; Program to add two numbers and store the result

DATA SEGMENT

num1 DB 10h

num2 DB 20h

result DB ?

DATA ENDS

CODE SEGMENT

START:

MOV AL, [num1]

ADD AL, [num2]

MOV [result], AL
```

```
; Program ends here
```

```
MOV AH, 4CH
```

```
INT 21H
```

```
CODE ENDS
```

```
END START
```

```
...
```

This program loads two numbers, adds them, and stores the result, demonstrating basic data transfer and arithmetic instructions.

Example 2: Looping through an Array

```
``assembly
```

```
; Sum elements of an array
```

```
DATA SEGMENT
```

```
array DB 1, 2, 3, 4, 5
```

```
sum DB 0
```

```
count DB 5
```

```
DATA ENDS
```

```
CODE SEGMENT
```

```
START:
```

```
MOV CX, [count]
```

```
LEA SI, [array]
```

```
XOR AL, AL ; Clear AL for sum
```

```
SUM_LOOP:

ADD AL, [SI]

ADD SI, 1

LOOP SUM_LOOP

MOV [sum], AL

; End program

MOV AH, 4CH

INT 21H

CODE ENDS

END START

...
```

This illustrates string-like processing using loops and register management.

Advancements and Legacy of 8086 Programming

The 8086's programming model influenced subsequent generations of x86 processors. Its instruction set and architecture served as the foundation for evolving technologies.

Key aspects of its legacy include:

- Compatibility with later Intel processors
- Development of high-level language compilers targeting x86
- Educational use for teaching assembly and hardware interaction
- Embedded system programming

Modern 8086 programs have transitioned from manual assembly coding to sophisticated development environments, but fundamental principles remain consistent.

Challenges and Considerations in 8086 Program Development

Programming the 8086 required meticulous attention to hardware details, including register management, memory segmentation, and instruction timing. Several challenges included:

- Managing segmented memory addresses accurately
- Writing efficient string and loop operations
- Handling interrupts and I/O with precise timing
- Debugging low-level code without modern IDEs

Despite these challenges, mastery of 8086 programming provides profound insights into computer architecture and low-level programming.

Conclusion

The exploration of microprocessor programs 8086 reveals a microcosm of early computing innovation. Its instruction set, segmented architecture, and programming techniques formed the bedrock for modern x86 processors. While programming the 8086 involved complexity and precision, it also offered unparalleled control over hardware, fostering skills that remain relevant in contemporary low-level development.

Understanding the programming paradigms of the 8086 not only illuminates the history of computing but also enhances our grasp of fundamental architectural principles. As technology advances, the foundational concepts exemplified by the 8086 continue to influence microprocessor design and programming practices, cementing its legacy in the annals of computer science.

QuestionAnswer What is the 8086 microprocessor and why is it considered important in computer architecture? The 8086 microprocessor is a 16-bit CPU introduced by Intel in 1978, widely regarded as the foundation of the x86 architecture. It is important because it laid the groundwork for modern personal computers, supporting advanced programming capabilities and compatibility with subsequent Intel processors. How do you write a simple program to add two numbers in 8086 Assembly? A simple 8086 assembly program to add two numbers involves moving the numbers into registers, performing the addition, and storing the result. For example: ``assembly MOV AX, 5 ; Load 5 into AX MOV BX, 10 ; Load 10 into BX ADD AX, BX ; Add BX to AX ; Result in AX (15) `` What are the common addressing modes used in 8086 programming? The 8086 supports several addressing modes, including immediate, register, direct, indirect, register indirect, based, indexed, and based-indexed addressing modes. These modes provide flexibility in accessing memory and registers during program execution. How do interrupt handling programs work in 8086 assembly? In 8086 assembly, interrupt handling involves setting up an Interrupt Vector Table (IVT), writing an Interrupt Service Routine (ISR), and enabling interrupts. When an interrupt occurs, the processor jumps to the ISR address to handle the event, such as hardware input or software exceptions. What is the significance of the segment registers in 8086 programming? Segment registers (CS, DS, SS,

ES) in the 8086 are used to access different memory segments, enabling the processor to handle larger memory spaces efficiently. They facilitate segmented memory management, which is fundamental to 8086 programming. Can you explain the difference between MOV and XCHG instructions in 8086? The MOV instruction copies data from one location to another without altering the source, while the XCHG instruction exchanges the contents of two registers or memory locations. For example: ``assembly MOV AX, BX ; Copy BX into AX XCHG AX, BX ; Swap contents of AX and BX `` What are some common programming challenges when working with 8086 microprocessor programs? Common challenges include managing limited memory segments, understanding addressing modes, handling interrupts properly, optimizing assembly code for performance, and debugging complex low-level operations due to minimal abstraction. How do you implement loops and conditional statements in 8086 assembly language? Loops and conditionals are implemented using labels, jump instructions (like JE, JNE, JG, JL), and comparison instructions (CMP). For example, a loop decrementing a counter: ``assembly MOV CX, 10 ; Set counter to 10 LOOP\_START: ; perform operations LOOP LOOP\_START ; Decrement CX and loop if CX != 0 `` What tools and simulators are recommended for practicing 8086 microprocessor programming? Popular tools for practicing 8086 assembly include DOSBox (for running DOS-based programs), emu8086 (an integrated assembler and simulator), and MASM (Microsoft Macro Assembler). These tools facilitate writing, assembling, and debugging 8086 programs efficiently.

Related keywords: 8086 assembly language, x86 microprocessor, 8086 programming, microprocessor architecture, 8086 instruction set, 8086 firmware, 16-bit processor, 8086 development, microprocessor programming, 8086 software

microprocessor 8086 by godse and bakshi

Microprocessor 8086 by Godse and Bakshi is a foundational topic in the field of computer architecture and microprocessor design. As one of the most influential microprocessors in history, the 8086 played a crucial role in the evolution of modern computing. Authored extensively by authors like Godse and Bakshi, the detailed study of this microprocessor offers insights into its architecture, operation, and significance. This article aims to provide an in-depth understanding of the Intel 8086 microprocessor, emphasizing its features, architecture, programming model, and relevance in today's technological landscape.

Introduction to Microprocessor 8086

The Intel 8086 microprocessor, introduced in 1978, marked a significant milestone in the development of 16-bit microprocessors. Its architecture laid the groundwork for subsequent generations of processors, including the famous Intel 8088, which powered early IBM PCs. The

microprocessor is renowned for its powerful instruction set, robust architecture, and versatility in various computing applications.

Authors like Godse and Bakshi have extensively discussed the 8086's design principles, operational capabilities, and its impact on computer engineering. Their work provides a comprehensive understanding of the microprocessor's internal workings, making it a vital resource for students and professionals alike.

Overview of the 8086 Microprocessor

Key Features of the 8086

The 8086 microprocessor is characterized by several distinctive features:

- **16-bit Architecture:** It has a 16-bit data bus and 16-bit registers, enabling efficient data processing.
- **20-bit Address Bus:** Supports addressing up to 1MB of memory, which was significant at the time.
- **Segmented Memory Model:** Uses segments to manage memory efficiently, facilitating larger address spaces.
- **Instruction Set:** Rich and powerful, including instructions for arithmetic, logic, control, and data transfer operations.
- **Clock Speed:** Initially available at 5 MHz, with later versions reaching higher frequencies.
- **Compatibility:** Compatible with previous 8-bit microprocessors, easing the transition in system design.

Importance in Computing History

The 8086 served as a bridge between earlier 8-bit microprocessors and more advanced 16-bit and 32-bit systems. Its introduction facilitated the development of personal computers, embedded systems, and various applications requiring efficient processing capabilities.

Architecture of the 8086 Microprocessor

Understanding the architecture of the 8086 is essential to grasp how it performs operations and manages data.

Block Diagram Overview

The architecture comprises several key components:

- **Arithmetic Logic Unit (ALU):** Performs all arithmetic and logical operations.
- **Registers:** Consist of general-purpose registers, segment registers, pointer registers, and index registers.
- **Segment Registers:** CS (Code Segment), DS (Data Segment), SS (Stack Segment), ES (Extra Segment).
- **Instruction Queue:** Prefetches instructions to improve processing speed.
- **Bus Interface Unit (BIU):** Handles communication with memory and I/O devices.
- **Execution Unit (EU):** Executes instructions fetched by the BIU.

Registers in 8086

The processor contains several types of registers:

- **General Purpose Registers:** AX, BX, CX, DX ? used for data manipulation.
- **Segment Registers:** CS, DS, SS, ES ? manage memory segments.
- **Pointer and Index Registers:** SP, BP, SI, DI ? assist in data addressing and stack operations.
- **Instruction Pointer (IP):** Points to the next instruction to execute.
- **Flags Register:** Contains status flags like Zero, Sign, Overflow, Carry, etc.

Programming Model of the 8086

The programming model of the 8086 is based on its segmented memory architecture and register set, which collectively facilitate complex operations and efficient memory management.

Memory Segmentation

The 8086 divides memory into segments, each with a maximum size of 64KB. The total memory addressable is 1MB, achieved through segment registers combined with offset addresses.

- Segment Registers:
 - CS (Code Segment): Contains the code.
 - DS (Data Segment): Contains data.
 - SS (Stack Segment): Contains stack data.
 - ES (Extra Segment): Used for extra data operations.
- Address Calculation:
 - Physical Address = (Segment Register

This segmentation allows for logical separation of code, data, and stack, simplifying program organization.

Instruction Set Overview

The 8086's instruction set includes:

- Data transfer instructions (MOV, PUSH, POP)
- Arithmetic instructions (ADD, SUB, MUL, DIV)
- Logical instructions (AND, OR, XOR, NOT)
- Control transfer instructions (JMP, CALL, RET, LOOP)
- String operations (MOVS, CMPS, SCAS, STOS, LODS)
- Flag manipulation instructions

Operational Modes of 8086

The 8086 operates primarily in two modes:

Minimum Mode

- Designed for a single processor operation.
- Uses the internal clock and control signals.
- Suitable for small systems.

Maximum Mode

- Enables multiple processors to operate together.
- Uses external bus controller chips.
- Ideal for larger, multi-processor systems.

Applications of the 8086 Microprocessor

The versatility of the 8086 microprocessor made it suitable for various applications:

- Embedded systems and control applications
- Personal computers and early IBM PCs
- Industrial automation systems

- Educational purposes and microprocessor training
- Development of operating systems and software applications

Significance of Godse and Bakshi's Work

Authors like Godse and Bakshi have contributed significantly to the understanding of the 8086 microprocessor. Their detailed explanations cover:

- Architecture and internal components
- Programming techniques
- System design considerations
- Real-world applications and case studies

Their comprehensive textbooks serve as essential resources for students and engineers aiming to master microprocessor technology.

Conclusion

The **microprocessor 8086 by Godse and Bakshi** remains a cornerstone in the study of computer architecture. Its innovative design, segmented architecture, and rich instruction set paved the way for modern processors. Understanding the 8086 provides foundational knowledge necessary for delving into advanced microprocessor and microcontroller systems. As technology advances, the principles learned from the 8086 continue to influence processor design and embedded system development, making it an everlasting subject of study in the field of computer engineering.

Microprocessor 8086 by Godse and Bakshi: An In-Depth Review and Analysis

The 8086 microprocessor, developed by Intel and extensively studied and documented by authors like Godse and Bakshi, represents a pivotal milestone in the evolution of computing technology. Its introduction in the late 1970s marked a transition toward more powerful, versatile, and programmable microprocessors capable of supporting complex computing tasks. This article aims to provide a comprehensive examination of the 8086 microprocessor, exploring its architecture, features, significance, and impact on the computing landscape.

Introduction to the 8086 Microprocessor

The 8086 microprocessor was introduced by Intel Corporation in 1978. It is often regarded as the foundation of the x86 architecture, which remains dominant in personal computers today. The microprocessor was designed to bridge the gap between earlier 8-bit processors and the need for 16-bit processing capabilities.

Key Facts:

- Manufacturer: Intel
- Release Year: 1978
- Bit Architecture: 16-bit
- Address Bus: 20 bits (allowing 1 MB addressable memory)
- Data Bus: 16 bits
- Clock Speed: Ranged from 5 MHz to 10 MHz in initial versions
- Instruction Set: Complex Instruction Set Computing (CISC)

The 8086's architecture was innovative for its time, combining high performance with versatile programming features. Its design laid the groundwork for subsequent processors in the x86 family, influencing generations of microprocessors.

Architectural Overview of the 8086

Understanding the architecture of the 8086 is essential to appreciating its capabilities and limitations. The design emphasizes a combination of features that support efficient data processing, flexible memory addressing, and ease of programming.

Register Structure

The 8086 features a set of registers divided into different categories:

- General Purpose Registers: AX, BX, CX, DX
- Each register can be split into high and low bytes (e.g., AH and AL).
- Segment Registers: CS, DS, SS, ES
- Used for memory segmentation.
- Pointer and Index Registers: SP, BP, SI, DI
- Support addressing modes and stack operations.
- Instruction Pointer (IP): Tracks the current instruction address.

Memory Segmentation

One of the defining features of the 8086 architecture is its segmented memory model:

- The 20-bit address bus allows access to 1 MB of memory.
- Memory is divided into segments, each up to 64 KB.

- Segments are addressed with segment registers combined with offset addresses.
- This segmentation enables efficient management of large programs and data structures but introduces complexity in addressing.

Data Bus and Bus Interface

- The 16-bit data bus allows for data transfer in 16-bit chunks, improving performance.
- The bus interface unit manages communication between the CPU and memory or I/O devices.

Instruction Set and Operations

- The 8086 employs a rich set of instructions characteristic of CISC architecture.
- Supports operations like arithmetic, logic, control transfer, string processing, and I/O.
- Includes instructions specific to segment manipulation, facilitating complex memory operations.

Key Features and Functionalities

The 8086 microprocessor incorporates several features that contributed to its success and adaptability.

Compatibility and Interoperability

- Designed to be backward compatible with the 8080 and 8085 processors.
- Supports a broad set of programming paradigms, including assembly language and high-level language compilation.

Segmented Memory Organization

- Enables larger memory addressing without increasing data bus width.
- Facilitates modular programming and efficient memory management.

Bidirectional Data Bus

- Allows data to flow both ways, enhancing data transfer efficiency.

Multiple Addressing Modes

- Supports immediate, register, direct, indirect, register indirect, and based addressing modes.
- These modes provide flexibility in programming and optimize code performance.

Interrupt System

- Supports hardware and software interrupts.
- Facilitates real-time data processing and device management.

Timing and Control Signals

- Includes signals such as ALE (Address Latch Enable), DT/R (Data Transmit/Receive), and RD/WR (Read/Write).
- These signals coordinate data transfer operations and memory access.

Operational Aspects and Programming

The practical utility of the 8086 hinges on the efficiency of its programming model and operational features.

Instruction Set Architecture (ISA)

- Rich and versatile, supporting complex instructions like string operations, flag manipulations, and conditional jumps.
- The instruction length varies from 1 to 6 bytes, depending on the operation and addressing mode.

Programming Model

- Assembly language programming involves understanding registers, memory segmentation, and instruction formats.
- The segmented memory model requires careful management of segment registers and offsets.
- The use of stack, pointers, and flags enables sophisticated control of program flow.

Interrupt Handling

- 8086 supports multiple interrupt vectors, allowing efficient handling of events.

- Interrupts can be vectored or non-vectored, with priority levels managed through the interrupt vector table.

Timing and Control

- Timing signals synchronize data transfer and processing.
- Developers need to consider wait states and bus cycles for optimized performance.

Significance and Impact of the 8086

The introduction of the 8086 marked a paradigm shift in microprocessor design and application.

Foundation of the x86 Architecture

- The 8086 laid the groundwork for the x86 family, which has become the most widely used architecture in personal computing.
- Its compatibility and extensibility enabled the development of subsequent processors like the 80286, 80386, and beyond.

Influence on Software Development

- Supported the growth of assembly language programming.
- Facilitated the development of operating systems, compilers, and application software.

Commercial and Technical Impact

- Enabled the creation of more powerful personal computers, servers, and embedded systems.
- Its design influenced microprocessor architecture for decades, emphasizing scalability, compatibility, and performance.

Educational and Research Contributions

- Became a standard subject in computer architecture and microprocessor courses.
- Provided a platform for research into system design, assembly language programming, and hardware-software interaction.

Comparative Analysis with Contemporary Microprocessors

While the 8086 was revolutionary, understanding its position relative to contemporaries offers insights into its strengths and limitations.

Compared to 8-bit Microprocessors:

- Significantly higher data and address bus widths.
- Better suited for complex and large-scale applications.

Compared to 16-bit Processors (e.g., Motorola 68000):

- Slightly simpler architecture.
- Less advanced addressing modes but easier to program and implement.

Limitations of the 8086:

- Relatively slow clock speeds in early versions.
- Complex memory segmentation can complicate programming.
- Limited support for multiprocessing or multitasking in initial designs.

Strengths:

- High compatibility with existing software.
- Flexible memory management.
- Rich instruction set supporting complex operations.

Legacy and Evolution

The 8086's legacy endures through its descendants and influence.

- x86 Architecture Evolution: The 8086's architecture was extended and refined in subsequent generations, supporting 32-bit and 64-bit computing.
- Embedded Systems: Its design principles continue to influence embedded system processors.
- Modern Computing: Many modern processors inherit features from the 8086, including segmentation, instruction set architecture, and compatibility modes.

In Summary:

The 8086 microprocessor by Godse and Bakshi remains a fundamental subject of study due to its innovative features, architectural significance, and historical impact. Its design not only catalyzed advancements in microprocessor technology but also shaped the future of personal computing and system architecture.

Conclusion

The Intel 8086 microprocessor, as comprehensively analyzed by Godse and Bakshi, exemplifies a milestone in the evolution of computing hardware. Its innovative architecture, coupled with its versatility and scalability, established a foundation upon which the modern computing landscape is built. Despite the rapid technological advancements, the principles embodied by the 8086 continue to influence processor design and system architecture, underscoring its enduring importance in the history of computer engineering.

References:

- Godse, S. G., & Bakshi, U. A. (Year). Microprocessors and Microcontrollers. (Specific edition details if available).
- Intel Corporation. (1978). The Intel 8086 Microprocessor Data Sheet.
- Additional scholarly articles and technical manuals on microprocessor architecture.

Note: This review synthesizes technical insights and historical context to provide a thorough understanding of the 8086 microprocessor's significance, ensuring readers appreciate its role in advancing computing technology.

QuestionAnswer What are the main features of the 8086 microprocessor as described by Godse and Bakshi? Godse and Bakshi highlight that the 8086 microprocessor features a 16-bit data bus, a 20-bit address bus capable of addressing 1 MB memory, a segmented memory architecture, and support for multiplexed bus operations, making it suitable for complex computing applications. How does the segmented memory model in 8086 enhance its performance according to Godse and Bakshi? The segmented memory model allows the 8086 to access a large address space efficiently by dividing memory into segments, facilitating easier management of memory and enabling the implementation of larger programs with improved speed and flexibility. What are the addressing modes supported by the 8086 microprocessor as explained by Godse and Bakshi? Godse and Bakshi state that the 8086 supports various addressing modes including immediate, register, direct, register indirect, based, indexed, and based-indexed addressing, which provide versatile methods for accessing data. Describe the role of the 8086's instruction set as outlined by Godse and Bakshi. The authors describe the 8086 instruction set as rich and versatile, including data transfer,

arithmetic, control, and string instructions, which enable complex operations and support high-level language implementation. According to Godse and Bakshi, what are the advantages of the 8086 microprocessor in modern computing? Godse and Bakshi emphasize that the 8086 offers high processing speed, compatibility with existing software, a flexible architecture suitable for multitasking, and the ability to interface with various peripherals, making it a robust choice for advanced computing systems. What are the typical applications of the 8086 microprocessor discussed by Godse and Bakshi? The authors mention that the 8086 is used in embedded systems, personal computers, industrial automation, and as the core processor in many early microcomputer designs due to its versatility and performance. How does the 8086 microprocessor's architecture facilitate programming and system design, according to Godse and Bakshi? Godse and Bakshi explain that the 8086's architecture, with its segmented memory, rich instruction set, and support for complex addressing modes, simplifies programming, debugging, and system integration, making it suitable for a wide range of applications.

Related keywords: 8086 microprocessor, Intel 8086, godse and bakshi, microprocessor architecture, x86 architecture, 16-bit processor, assembly language programming, microprocessor design, computer architecture, microprocessor applications

Read the full article online: [Microprocessor 8086 By Godse And Bakshi](#)

liu and gibson the 8086 microprocessor

Liu and Gibson the 8086 microprocessor represent a significant milestone in the evolution of computing hardware, marking the advent of the x86 architecture that would dominate personal computing for decades. The 8086 was developed by Intel in the late 1970s and launched in 1978, designed to be a powerful yet affordable microprocessor capable of handling complex tasks and supporting broad software development. Its innovative architecture set the foundation for modern processors and influenced subsequent generations of microprocessors. In this article, we explore the origins, architecture, significance, and impact of the 8086 microprocessor, along with insights into Liu and Gibson's contributions to its development.

Historical Context and Development of the 8086

Background of Microprocessor Evolution

The late 20th century witnessed rapid advancements in computer technology, driven by the need for more powerful, compact, and efficient processing units. Early microprocessors like the Intel 4004 and 8-bit chips laid the groundwork, but as applications grew more demanding, the industry sought

more capable architectures. The 8086 emerged during this period as a response to industry needs for a 16-bit processor that could handle more data and memory addressing than earlier 8-bit CPUs.

The Role of Liu and Gibson in the Development

While the primary recognition for the 8086's design goes to Intel's engineering team, Liu and Gibson played critical roles in its conceptualization and development. Their contributions involved pioneering architectural features, optimizing performance, and ensuring compatibility with existing systems. Liu's expertise in microarchitecture design and Gibson's innovative approach to instruction sets facilitated the creation of a processor that was both powerful and adaptable.

Architectural Features of the 8086 Microprocessor

16-bit Architecture and Data Bus

The 8086 was a 16-bit microprocessor, meaning it could process 16 bits of data in a single operation. Its 16-bit data bus allowed for faster data transfer compared to earlier 8-bit processors, significantly improving performance in data-intensive applications.

Segmented Memory Model

One of the hallmark features of the 8086 was its segmented memory architecture. This design divided the 1MB address space into segments, each 64KB in size, allowing for efficient memory management and backward compatibility with existing 8-bit systems. The segment registers (CS, DS, SS, ES) facilitated flexible memory addressing, enabling complex programming techniques.

Instruction Set and Compatibility

The 8086 introduced a comprehensive instruction set that supported a wide range of operations, from arithmetic and logic to control flow and data movement. Its instruction set was designed to be compatible with the earlier 8080 and 8085 processors, easing software porting and adoption.

Pipeline and Performance Enhancements

Although the 8086 did not feature modern pipelining, its architecture allowed for efficient instruction execution. Techniques such as prefetch queues and instruction decoding contributed to better performance, laying the groundwork for future enhancements in subsequent Intel processors.

Innovations Brought by Liu and Gibson

Architectural Innovations

Liu and Gibson championed several key innovations that distinguished the 8086 from its predecessors:

- **Complex Instruction Set:** They designed an instruction set that balanced complexity with efficiency, enabling a broad range of programming techniques.
- **Segmented Memory Support:** Their work on memory segmentation allowed for larger address spaces and easier software development.
- **Compatibility Focus:** Ensuring backward compatibility was a priority, easing transition for existing software ecosystems.

Performance Optimization

Their expertise helped optimize the processor's pipeline and instruction decoding mechanisms, resulting in faster execution speeds and better utilization of available hardware resources.

Influence on Future Microprocessors

The architectural principles established by Liu and Gibson in the 8086 served as a blueprint for subsequent Intel processors, including the 80286, 80386, and beyond. Their work paved the way for the development of modern x86 architecture, which remains the dominant CPU architecture in personal computers today.

Impact and Significance of the 8086 Microprocessor

Commercial Success and Industry Adoption

The 8086's launch marked a turning point in microprocessor history. Its performance capabilities and compatibility features made it the preferred choice for early personal computers and embedded systems. Notably, the IBM PC's adoption of the 8088 (a variant of the 8086 with an 8-bit data bus) cemented the architecture's dominance.

Foundation for the PC Revolution

The architecture introduced by Liu and Gibson was integral to the rise of the personal computer industry. The x86 instruction set became the standard for IBM-compatible PCs, leading to a vast ecosystem of hardware and software.

Legacy and Modern Relevance

Today, the x86 architecture continues to evolve, with modern processors incorporating features that

trace back to the design philosophies established in the 8086. The processor's legacy persists in contemporary computing, embedded systems, and server architectures.

Technical Challenges and Solutions

Handling Larger Memory Spaces

The 8086's segmented memory model was a novel solution to the challenge of addressing more than 64KB of memory. Liu and Gibson's design allowed programmers to manage larger address spaces without overly complex hardware.

Balancing Complexity and Performance

Designing an instruction set that was rich enough for diverse applications while maintaining efficiency was a key challenge. Their approach involved careful instruction set planning and pipeline optimization, setting a precedent for future processor designs.

Ensuring Compatibility

Maintaining compatibility with earlier 8-bit systems was essential for market acceptance. The 8086's architecture seamlessly integrated with existing software, easing transition hurdles and expanding its adoption.

Conclusion

The development of the 8086 microprocessor by Liu and Gibson was a monumental achievement that shaped the future of computing. Their innovative approach to architecture, memory management, and instruction set design established a robust foundation for the x86 family, which continues to underpin modern personal computing. The 8086's legacy endures not only because of its technical merits but also due to the visionary contributions of Liu and Gibson, whose work bridged the gap between early microprocessors and the sophisticated computing systems we rely on today.

References

- Intel Corporation. (1978). The Intel 8086 Microprocessor Data Sheet.
- Microprocessor Architecture, Programming, and Applications with the 8086/8088 by Ramesh Gaonkar.
- History of the x86 Architecture. (Various online technical archives and historical sources).
- Interviews and biographies of Liu and Gibson (available in industry publications and technical

histories).

Liu and Gibson: The 8086 Microprocessor

In the annals of computer history, few components have had as profound an impact as the microprocessor. Among these, the Intel 8086 stands out as a revolutionary piece of technology that laid the groundwork for modern computing architectures. Interestingly, the development history of the 8086 is intertwined with a lesser-known but equally significant narrative involving engineers Liu and Gibson. Their contributions, alongside Intel's strategic vision, helped shape the 8086 into a pivotal component that bridged the gap between early microprocessors and the sophisticated systems we rely on today. This article delves into the technical intricacies of the 8086 microprocessor, exploring how Liu and Gibson's roles contributed to its design and legacy.

The Origins of the 8086 Microprocessor

Historical Context and Development Timeline

The late 1970s marked a period of rapid evolution in microprocessor technology. Companies like Intel were racing to develop processors capable of handling more complex tasks, supporting larger memory spaces, and enabling compatibility with existing systems. The Intel 8086 was introduced in 1978, during a time when the industry was transitioning from 8-bit to 16-bit architectures. Its goal was to offer a powerful yet affordable solution that could serve as the core of personal computers and embedded systems.

The Strategic Need for the 8086

Intel's decision to develop the 8086 was driven by several factors:

- The demand for increased processing power.
- The necessity for a compatible architecture that could evolve with software demands.
- The desire to establish a new standard in microprocessor design that could support future growth.

The 8086 was designed as a 16-bit processor with a 20-bit address bus, capable of addressing up to 1MB of memory—a significant leap from its predecessors.

Liu and Gibson's Roles in the 8086 Development

Background of the Engineers

While Intel's internal teams are often credited with developing the 8086, specific contributions from engineers Liu and Gibson are notable. Liu, an expert in microarchitecture design, specialized in optimizing instruction sets and improving processing efficiency. Gibson, on the other hand, was renowned for his work on system integration and bus architecture, ensuring the processor could communicate effectively with surrounding hardware components.

Contributions to the Microarchitecture

Liu's focus was on:

- **Instruction Set Design:** He helped develop an extensive and flexible instruction set that supported backward compatibility with the 8-bit 8080 and 8085 processors, facilitating a smoother transition for software developers.
- **Performance Optimization:** Liu worked on pipeline design and internal registers, which increased the processor's throughput and reduced execution time for complex instructions.

Gibson's contributions included:

- **Bus Architecture and System Interface:** He designed the 16-bit data bus and the 20-bit address bus, ensuring efficient data transfer and memory addressing.
- **Compatibility and Integration:** Gibson ensured that the internal architecture supported seamless communication between the processor and peripheral devices, laying the foundation for the x86 architecture's compatibility.

Their collaboration was instrumental in balancing the complex trade-offs between speed, cost, and compatibility, resulting in a processor that was both powerful and adaptable.

Technical Architecture of the 8086

Core Components and Features

The 8086's architecture was groundbreaking at the time. Key features included:

- **16-bit Registers:** Eight general-purpose registers (AX, BX, CX, DX, SP, BP, SI, DI), each 16 bits wide.
- **Segmented Memory Model:** Memory addressing was divided into segments, allowing the 20-bit address bus to access up to 1MB of memory efficiently.
- **Instruction Set:** A rich set of instructions supporting arithmetic, logic, control, and data transfer

operations.

- Pipeline: A simple pipeline architecture that allowed overlapping fetch and execute phases, improving performance.

System Bus and Data Handling

Gibson's innovative bus design enabled:

- Efficient Data Transfer: The 16-bit data bus facilitated rapid movement of data between the processor and memory.
- Memory Addressing: The segmentation scheme combined with the 20-bit address bus allowed flexible memory management, which was essential for complex applications.

Compatibility and Software Support

Liu's instruction set design emphasized:

- Backward Compatibility: Support for 8-bit instructions from earlier Intel processors, easing the transition for software developers.
- Extended Capabilities: New instructions and modes that supported advanced programming techniques, such as string manipulation and multitasking.

Impact and Legacy of the 8086

The Birth of the x86 Architecture

The 8086 became the foundation for Intel's x86 architecture, which remains dominant in personal computing today. Its design principles influenced subsequent processors like the 80286, 80386, and beyond.

Influence on Software Development

The processor's instruction set and architecture fostered the development of complex operating systems, such as MS-DOS and later Windows versions, which relied heavily on the 8086's capabilities.

Commercial and Technological Success

The 8086's success was reflected in:

- Widespread adoption in early IBM PCs.
- The establishment of a standard platform for software compatibility.
- The evolution of microprocessor manufacturing and design strategies.

Challenges and Limitations

Despite its groundbreaking features, the 8086 faced certain limitations:

- **Performance Bottlenecks:** The simple pipeline architecture could not match the speeds of later RISC processors.
- **Memory Segmentation Complexity:** Programmers often found the segmented memory model challenging to manage.
- **Power Consumption:** As systems grew more powerful, the 8086's power efficiency became less adequate compared to newer designs.

However, these limitations spurred innovations in subsequent generations of microprocessors.

The Broader Impact of Liu and Gibson's Work

Beyond the technical specifications, the roles of Liu and Gibson exemplify the importance of collaborative engineering in pioneering complex technology. Their combined expertise in instruction set design and system architecture exemplifies how multidisciplinary approaches are vital in microprocessor development.

Their work on the 8086 not only resulted in a processor that met the immediate needs of the late 1970s but also set standards that would influence the entire industry for decades. The x86 architecture they helped shape continues to underpin the majority of personal computers worldwide.

Conclusion

Liu and Gibson the 8086 microprocessor epitomize the intersection of innovative engineering and strategic design that propelled computing into a new era. Their contributions to the architecture, instruction set, and system integration of the 8086 established a legacy that endures today. Understanding their roles offers valuable insights into how collaborative efforts in technology development lead to breakthroughs that define generations. The 8086's enduring influence underscores the importance of visionary engineering, meticulous design, and the collaborative spirit that drives technological progress forward.

QuestionAnswer Who are Liu and Gibson, and what is their contribution to the 8086 microprocessor? Liu and Gibson are authors of a widely used textbook on microprocessors. They

provided comprehensive explanations of the 8086 microprocessor architecture, programming, and applications, making their work a foundational resource for students and professionals. What are the key features of the 8086 microprocessor discussed by Liu and Gibson? Liu and Gibson highlight features such as 16-bit architecture, segmented memory, instruction sets, real mode operation, and compatibility with earlier x86 processors, which are crucial for understanding the 8086's capabilities. How do Liu and Gibson explain the segmentation concept in the 8086 microprocessor? They describe segmentation as a method to address more memory efficiently by dividing memory into segments, using segment registers like CS, DS, SS, and ES, enabling the 8086 to access up to 1MB of memory. What programming techniques for the 8086 microprocessor are covered by Liu and Gibson? Their work covers assembly language programming, addressing modes, instruction sets, and programming practices, helping learners write efficient code for the 8086. How do Liu and Gibson explain the addressing modes of the 8086 microprocessor? They detail various addressing modes such as register addressing, immediate addressing, direct, indirect, register indirect, based, and indexed addressing, which are essential for effective programming. What is the significance of Liu and Gibson's explanation of the 8086's bus cycle and timing diagrams? Their detailed explanation helps understand how the 8086 communicates with memory and I/O devices, which is critical for designing and troubleshooting microprocessor-based systems. Why is Liu and Gibson's textbook considered a fundamental resource for learning about the 8086 microprocessor? Because it provides clear, detailed, and structured explanations of the architecture, programming, and interfacing of the 8086, making complex concepts accessible for students and engineers alike.

Related keywords: 8086 microprocessor, Liu and Gibson, Intel 8086, x86 architecture, microprocessor architecture, microprocessor design, assembly language, CPU architecture, Intel microprocessors, computer engineering

Read the full article online: [Liu And Gibson The 8086 Microprocessor](#)

Simple microprocessor 8086 programs with explanation

Simple microprocessor 8086 programs with explanation are fundamental for understanding how the Intel 8086 microprocessor operates and how to write assembly language programs for it. The 8086 processor, introduced by Intel in 1978, is a 16-bit microprocessor that played a significant role in the development of personal computers and laid the foundation for modern x86 architecture. Learning to write simple programs for the 8086 helps budding programmers grasp essential concepts such as data movement, arithmetic operations, control flow, and memory management.

In this article, we will explore some basic 8086 assembly language programs, explain their working mechanisms, and provide insights into how these programs can be used as building blocks for more

complex applications.

Understanding the 8086 Microprocessor Architecture

Before diving into programming examples, it is important to understand the architecture of the 8086 microprocessor.

Key Features of 8086

- 16-bit registers: AX, BX, CX, DX
- Segmented memory architecture
- 21-bit addressing capability (up to 1MB memory)
- Supports real mode operation
- Instruction set includes data transfer, arithmetic, logic, control, and string instructions

Registers and Memory Segments

- General Purpose Registers: AX, BX, CX, DX
- Segment Registers: CS (Code Segment), DS (Data Segment), SS (Stack Segment), ES (Extra Segment)
- Pointer and Index Registers: SP, BP, SI, DI
- Instruction Pointer: IP

Understanding these components is essential for writing efficient assembly programs.

Writing Basic 8086 Assembly Language Programs

Assembly language programming for the 8086 involves writing mnemonic instructions that directly control hardware operations. Here, we focus on simple programs demonstrating data transfer, arithmetic operations, and control flow.

1. Program to Move Data between Registers

This program copies data from one register to another.

```
``assembly
```

```
; Move immediate data into register AX
```

```
MOV AX, 1234h
```

```
; Move data from AX to BX
```

```
MOV BX, AX
```

```
...
```

Explanation:

- `MOV AX, 1234h`: Loads the hexadecimal value 1234 into register AX.
- `MOV BX, AX`: Copies the value from AX into BX.

This simple example demonstrates data transfer between registers, a fundamental operation.

2. Program to Perform Addition of Two Numbers

```
``assembly
```

```
.MODEL SMALL
```

```
.DATA
```

```
num1 DW 5
```

```
num2 DW 10
```

```
result DW 0
```

```
.CODE
```

```
MOV AX, @DATA
```

```
MOV DS, AX
```

```
MOV AL, num1 ; Load first number into AL
```

```
MOV BL, num2 ; Load second number into BL
```

```
ADD AL, BL ; Add the two numbers
```

MOV result, AL ; Store the result

MOV AH, 4CH ; Terminate program

INT 21H

END

```

Explanation:

- `.MODEL SMALL`: Defines memory model.
- `.DATA`: Declares data variables `num1`, `num2`, and `result`.
- `.CODE`: Contains the program instructions.
- `MOV AX, @DATA`: Initializes DS register.
- `MOV AL, num1`: Loads first number into AL.
- `MOV BL, num2`: Loads second number into BL.
- `ADD AL, BL`: Adds the contents of BL to AL.
- `MOV result, AL`: Stores the sum in the result variable.
- `MOV AH, 4CH` and `INT 21H`: Ends program execution.

This program adds two numbers stored in memory and saves the result.

### 3. Program for Simple Loop (Counting from 1 to 10)

```assembly

.MODEL SMALL

.DATA

count DB 1

.CODE

MOV AX, @DATA

MOV DS, AX

start_loop:

; Here you could perform an operation, e.g., display or process count

INC count ; Increment count

CMP count, 11 ; Compare with 11

JL start_loop ; Jump if less than 11

MOV AH, 4CH

INT 21H

END

...

Explanation:

- Initializes a counter at 1.
- Loops until the counter reaches 11.
- Demonstrates control flow with `CMP` and `JL`.

Common Assembly Instructions in 8086 Programming

Understanding common instructions is vital for writing effective programs.

Data Transfer Instructions

- MOV: Move data between registers, memory, or immediate values
- XCHG: Exchange data between registers

Arithmetic Instructions

- ADD: Addition
- SUB: Subtraction
- MUL: Unsigned multiplication

- DIV: Unsigned division

Logical Instructions

- AND, OR, XOR, NOT

Control Flow Instructions

- JMP: Unconditional jump
- JE/JZ: Jump if equal/zero
- JNE/JNZ: Jump if not equal/non-zero
- CALL: Call procedure
- RET: Return from procedure

Understanding Segments and Memory Management

Since 8086 uses segmented memory architecture, managing segments is crucial.

Segment Registers

- CS (Code Segment): Contains program instructions.
- DS (Data Segment): Contains data variables.
- SS (Stack Segment): Manages function stacks.
- ES (Extra Segment): Additional data storage.

Example:

```
``assembly
```

```
MOV AX, @DATA
```

```
MOV DS, AX
```

```
``
```

This initializes the Data Segment register to point to the data segment.

Sample Program: Adding Two User-Input Numbers

Let's see a more practical example where the program takes two numbers as input and displays their sum.

```
``assembly
```

```
.MODEL SMALL
```

```
.STACK 100H
```

```
.DATA
```

```
num1 DW ?
```

```
num2 DW ?
```

```
sum DW ?
```

```
msg1 DB 'Enter first number: $'
```

```
msg2 DB 'Enter second number: $'
```

```
msg3 DB 'Sum is: $'
```

```
.CODE
```

```
MAIN:
```

```
MOV AX, @DATA
```

```
MOV DS, AX
```

```
; Read first number
```

```
LEA DX, msg1
```

```
MOV AH, 09H
```

```
INT 21H
```

```
CALL ReadNumber
```

MOV num1, AX

; Read second number

LEA DX, msg2

MOV AH, 09H

INT 21H

CALL ReadNumber

MOV num2, AX

; Calculate sum

MOV AX, num1

ADD AX, num2

MOV sum, AX

; Display result

LEA DX, msg3

MOV AH, 09H

INT 21H

; Convert sum to string and display (omitted for brevity)

MOV AH, 4CH

INT 21H

; Subroutine to read number from user

ReadNumber:

; Implementation of reading ASCII input and converting to number

; omitted for brevity

RET

END

...

This program illustrates interaction with the user, reading input, performing arithmetic, and displaying results.

Conclusion

Simple microprocessor 8086 programs with explanations provide a foundational understanding of assembly language programming. By mastering data transfer, arithmetic operations, control flow, and memory management, programmers can develop efficient low-level programs suited for embedded systems, operating system components, or educational purposes.

Whether it's performing basic calculations or managing complex control structures, the 8086 assembly language remains a valuable learning tool for understanding computer architecture and low-level programming concepts. Practice with these simple programs paves the way for creating more sophisticated applications that leverage the full capabilities of the 8086 microprocessor.

Additional Resources

- Intel 8086 Processor Data Sheet
- "Assembly Language Programming for Intel Microprocessors" by Kip R. Irvine
- Online assemblers and emulators like DOSBox for practice
- Tutorials on segmentation, interrupt handling, and interfacing

By exploring and experimenting with these simple programs, aspiring programmers can deepen their understanding of hardware-software interaction and develop skills essential for systems programming and embedded development.

Simple microprocessor 8086 programs with explanation have long been a fundamental aspect of understanding computer architecture and programming. The Intel 8086, introduced in 1978, marked a significant milestone in the evolution of microprocessors, laying the groundwork for the x86 architecture that dominates personal computers today. Its simplicity combined with powerful capabilities makes it an excellent starting point for students and enthusiasts who want to grasp the basics of assembly language programming and microprocessor operation. This article aims to

explore simple 8086 programs, providing detailed explanations to foster a clear understanding of how the microprocessor interacts with data and executes instructions.

Introduction to the 8086 Microprocessor

Before diving into specific programs, it is essential to understand the basic architecture and features of the 8086 microprocessor.

Key Features of 8086

- 16-bit architecture: The 8086 has a 16-bit data bus and registers, enabling it to process 16 bits of data simultaneously.
- Segmented memory model: Memory is addressed using segments and offsets, allowing access to up to 1MB of memory.
- Registers: Includes general-purpose registers (AX, BX, CX, DX), segment registers (CS, DS, SS, ES), pointer registers (SP, BP), index registers (SI, DI), and flags.
- Instruction set: Supports a rich set of instructions for arithmetic, logic, data transfer, control flow, and string operations.
- Real mode operation: Operates directly on physical memory addresses, suitable for simple programs and learning purposes.

Basic Structure of an 8086 Program

An 8086 assembly program generally consists of:

- Data segment: Defines data variables.
- Code segment: Contains executable instructions.
- Stack segment: Used for temporary storage during subroutine calls.

A typical simple program includes:

- Initialization of data.
- Loading data into registers.
- Performing operations (like addition, subtraction).
- Storing results back into memory.
- Ending with an interrupt or halt instruction.

Example 1: Simple Addition Program

Let's analyze a basic program that adds two numbers.

```
``asm

.model small

.data

num1 dw 5

num2 dw 10

result dw 0

.code

main proc

mov ax, @data ; Initialize data segment

mov ds, ax

mov ax, num1 ; Load first number into AX

mov bx, num2 ; Load second number into BX

add ax, bx ; Add BX to AX

mov result, ax ; Store result in memory

; Program ends here

mov ax, 4C00h ; Terminate program

int 21h

main endp

end

``
```

Explanation:

- `.model small`: Specifies the memory model.
- `.data`: Declares data variables `num1`, `num2`, and `result`.
- `.code`: Begins the code segment.
- `mov ax, @data` / `mov ds, ax`: Sets up data segment register.
- `mov ax, num1`: Loads value 5 into AX register.
- `mov bx, num2`: Loads value 10 into BX register.
- `add ax, bx`: Performs addition, AX now holds 15.
- `mov result, ax`: Stores the result back into memory.
- `mov ax, 4C00h` / `int 21h`: Ends the program cleanly.

Features:

- Simple arithmetic operation.
- Demonstrates data transfer between memory and registers.
- Shows program termination.

Example 2: Looping through Array

This program sums elements of an array.

```
```.asm
```

```
.model small
```

```
.data
```

```
arr dw 1, 2, 3, 4, 5
```

```
sum dw 0
```

```
count dw 5
```

```
.code
```

```
main proc
```

```
mov ax, @data
```

```
mov ds, ax

mov si, 0 ; Index for array

mov cx, 5 ; Loop counter

mov ax, 0 ; Initialize sum

sum_loop:

mov bx, arr[si] ; Load array element

add ax, bx ; Add to sum

add si, 2 ; Move to next element (since dw = 2 bytes)

loop sum_loop

mov sum, ax ; Store total sum

; End of program

mov ax, 4C00h

int 21h

main endp

end

...
```

Explanation:

- The array `arr` contains 5 integers.
- The register SI is used as an index to access array elements.
- CX register manages the loop count.
- Inside the loop:
  - Load current element into BX.
  - Add BX to AX (accumulator).

- Increment SI by 2 bytes to point to the next element.
- After looping, total sum is stored in `sum`.

Features:

- Demonstrates looping and array traversal.
- Basic use of registers for addressing.
- Shows summing multiple data items.

## Example 3: Conditional Branching

Here's a program that compares two numbers and sets a value based on comparison.

```
``asm

.model small

.data

num1 dw 20

num2 dw 15

result dw 0

.code

main proc

mov ax, @data

mov ds, ax

mov ax, num1

cmp ax, num2

jg greater

mov result, 0
```

```
jmp end_prog
```

```
greater:
```

```
mov result, 1
```

```
end_prog:
```

```
mov ax, 4C00h
```

```
int 21h
```

```
main endp
```

```
end
```

```
...
```

Explanation:

- Loads `num1` into AX.
- Compares AX with `num2`.
- If AX > `num2`, jumps to label `greater` and sets `result` to 1.
- Otherwise, sets `result` to 0.
- Program terminates afterward.

Features:

- Demonstrates comparison and conditional jump.
- Simple decision-making logic.

## Advantages and Limitations of 8086 Programs

Pros:

- Educational Value: Helps grasp low-level programming concepts.
- Foundation: Serves as a base for understanding more complex architectures.
- Control: Offers precise control over hardware interactions.

- Simplicity: Assembly language programs are straightforward in logic.

Cons:

- Complexity in Large Programs: As programs grow, assembly becomes harder to manage.
- Slow Development: Writing and debugging is time-consuming.
- Limited Abstraction: Requires understanding of hardware details.
- Not Suitable for Modern High-Level Applications: Mostly educational or embedded systems.

## Features of Simple 8086 Programs

- Use of basic instructions like MOV, ADD, SUB, CMP, LOOP.
- Use of registers for data manipulation.
- Memory access via direct addressing.
- Control flow through jumps and loops.
- Program termination via DOS interrupt.

## Conclusion

Simple microprocessor 8086 programs with explanation showcase the fundamental principles of assembly language programming and microprocessor operation. By exploring programs that perform arithmetic, looping, and decision-making, learners gain insight into how hardware processes instructions at a low level. While assembly language may seem complex at first, its clarity and control make it invaluable for understanding computer architecture, embedded systems, and performance-critical applications. The examples provided serve as stepping stones towards mastering more advanced programming and system design in the x86 architecture. Despite its age, the 8086 remains a vital educational tool, emphasizing the importance of understanding the core concepts that underpin modern computing systems.

**QuestionAnswer** What is the 8086 microprocessor and why is it considered simple for learning assembly language? The 8086 microprocessor is an Intel 16-bit microprocessor introduced in 1978, known for its relatively straightforward architecture, 16-bit data bus, and simple instruction set, making it an ideal starting point for learning assembly programming and understanding basic microprocessor operations. How do you write a basic program to add two numbers in 8086 assembly language? A basic program to add two numbers involves loading the numbers into registers, performing the addition with the 'ADD' instruction, and then storing or displaying the result. For example: MOV AX, 5 ; MOV BX, 3 ; ADD AX, BX ; The result in AX will be 8. What are the common registers used in 8086 programming and their purposes? The common registers include AX (accumulator), BX (base register), CX (count register), DX (data register), SI (source index), DI

(destination index), BP (base pointer), and SP (stack pointer). They are used for data manipulation, addressing, and control flow in programs. Can you explain how to implement a simple loop in 8086 assembly? A simple loop can be implemented using the 'LOOP' instruction along with a counter in the CX register. For example: `MOV CX, 5 ; LOOP_START: ; ... ; LOOP LOOP_START` ; This repeats the code block 5 times, decrementing CX each iteration. How do you perform data transfer between memory and registers in 8086 assembly? Data transfer is done using instructions like MOV. For example, `MOV AL, [VAR]` loads data from memory address VAR into AL register, and `MOV [VAR], AL` stores data from AL into memory at VAR. What is the significance of the 'INT' instruction in 8086 programs? 'INT' (interrupt) is used to invoke software interrupts for system calls, such as displaying output or reading input. For example, 'INT 21h' in DOS provides various system services like printing characters or reading input. How do you implement conditional branching in 8086 assembly language? Conditional branching is achieved using jump instructions like JE (jump if equal), JNE (jump if not equal), etc., after setting flags with comparison instructions like CMP. For example: `CMP AX, BX ; JE LABEL ; if equal, jump to LABEL`. What are some common challenges when writing simple 8086 programs and how can they be addressed? Common challenges include understanding register usage, memory addressing modes, and instruction flow. These can be addressed by practicing basic programs, studying instruction sets, and using step-by-step debugging tools to monitor register and memory changes. Where can I find resources and tutorials to practice simple 8086 microprocessor programs? Resources include online tutorials, textbooks on assembly language programming, and emulator tools like DOSBox or Emu8086. Websites like GeeksforGeeks, tutorialspoint, and YouTube channels also offer step-by-step guides for beginners.

**Related keywords:** 8086 microprocessor, assembly language programming, 8086 instructions, simple 8086 programs, 16-bit microprocessor, 8086 architecture, programming examples 8086, 8086 registers, 8086 data transfer, 8086 programming tutorial

**Read the full article online:** [Simple microprocessor 8086 programs with explanation](#)

## Download The 8088 And 8086 Microprocessors Programming

### Download the 8088 and 8086 Microprocessors Programming

In the realm of computer architecture and embedded systems, the Intel 8088 and 8086 microprocessors occupy a significant position as pioneering 16-bit processors that laid the foundation for modern computing. Whether you're a student, a hobbyist, or a professional developer, understanding how to program these microprocessors is essential for grasping the fundamentals of low-level programming, system design, and hardware interfacing. This article provides a comprehensive guide on how to download the 8088 and 8086 microprocessors programming

resources, along with detailed insights into their architecture, programming techniques, and available tools.

## Understanding the 8088 and 8086 Microprocessors

Before diving into programming and downloading resources, it's crucial to understand the core features and differences between the Intel 8088 and 8086 microprocessors.

### Overview of the 8086 Microprocessor

- Introduction: Released in 1978 by Intel, the 8086 was one of the first 16-bit microprocessors designed for personal computers.
- Architecture: It features a 16-bit data bus, a 20-bit address bus, and a maximum address space of 1MB.
- Registers: 16 general-purpose registers, segment registers, and flags.
- Instruction Set: Supports a rich set of instructions, including arithmetic, control, string, and logical operations.

### Overview of the 8088 Microprocessor

- Introduction: Introduced in 1979, the 8088 is a variant of the 8086 with an 8-bit external data bus.
- Architecture: Shares the same internal architecture as the 8086 but uses an 8-bit bus for compatibility with cheaper, more widespread system designs.
- Applications: Became the core processor for the IBM PC, making it highly significant historically.

### Key Differences

- Data Bus Width: 8086 has a 16-bit data bus; 8088 has an 8-bit data bus.
- Performance: The 8086 generally offers better performance due to its wider data bus.
- Compatibility: Both share the same instruction set and architecture internally, making software compatible across both processors.

### Why Learn to Program 8088 and 8086?

- Historical Significance: Understanding early microprocessors provides insights into modern CPU architecture.

- Embedded Systems: Many embedded systems still use similar architectures.
- Educational Value: Provides foundational knowledge in assembly language programming and hardware interfacing.
- Legacy System Maintenance: Critical for maintaining and upgrading legacy systems.

## Downloading Microprocessor Programming Resources

To effectively program the 8088 and 8086 microprocessors, you need access to various resources, including assemblers, simulators, documentation, and tutorials.

## Essential Tools for Programming

- Assembler Software
  - MASM (Microsoft Macro Assembler): Widely used for 8086/8088 assembly programming.
  - TASM (Turbo Assembler): An alternative assembler with advanced features.
  - NASM (Netwide Assembler): Open-source assembler supporting multiple architectures.
- Simulators and Emulators
  - EMU8086: An easy-to-use emulator with integrated assembler, debugger, and tutorials.
  - DOSBox: Useful for running legacy DOS-based tools and programs.
  - PCemu: Emulates older PC hardware, including 8086/8088 systems.
- Development Environments
  - Microsoft Visual Studio: For developing and debugging assembly code.
  - Code::Blocks: Supports assembly language plugins.
  - Online Assemblers: Platforms like OnlineGDB allow you to write and execute assembly code directly in your browser.
- Documentation and Guides

- Intel 8086 Family Programmer's Manual: Official documentation for instruction set and architecture.
- Microprocessor Architecture Books: Such as "The Intel Microprocessors" by Barry B. Brey.
- Online Tutorials and Courses: Websites like tutorialspoint.com, GeeksforGeeks, and YouTube channels.

## How to Download and Set Up These Resources

Step-by-step guide:

- Download Assemblers
  - Visit official sites or trusted repositories:
  - MASM: Download from Microsoft or trusted archives.
  - TASM: Available from Borland or FreeDOS repositories.
  - NASM: Download from the official NASM website [<https://www.nasm.us>](<https://www.nasm.us>).
- Install Simulators
  - EMU8086:
    - Download from [<https://emu8086.com>](<https://emu8086.com>).
    - Follow setup instructions; it includes tutorials and sample programs.
  - DOSBox:
    - Download from [<https://www.dosbox.com>](<https://www.dosbox.com>).
    - Install and configure for running legacy programs.
- Access Documentation
  - Download PDFs of Intel's official manuals:
  - Intel 8086 Family Programmer's Manual (available on Intel's website or archives).
  - Download or purchase books on microprocessor architecture.
- Set Up Development Environment

- Configure your assembler and emulator.
- Create directories for projects and sample code.

## Basic Programming Concepts for 8088 and 8086

Once you have the tools, start with fundamental programming concepts:

### Writing Your First Assembly Program

- Initialize data segments.
- Use basic instructions like MOV, ADD, SUB.
- Implement simple loops and conditions.
- Output results via BIOS or DOS interrupts.

### Sample Program Structure

```
``assembly
```

```
.model small
```

```
.stack 100h
```

```
.data
```

```
msg db 'Hello, 8086!', 0Dh, 0Ah, '$'
```

```
.code
```

```
main proc
```

```
mov ax, @data
```

```
mov ds, ax
```

```
mov ah, 09h
```

```
lea dx, msg
```

```
int 21h
```

```
mov ah, 4Ch
```

```
int 21h
```

```
main endp
```

```
end main
```

```
...
```

This simple program displays "Hello, 8086!" in DOS.

## Running Your Program

- Assemble the code using MASM or NASM.
- Link the object file.
- Run the executable on EMU8086 or DOSBox.

## Advanced Programming Techniques

- Interrupt handling
- Memory management
- I/O port interfacing
- Multitasking basics

## Learning Resources and Tutorials

- Official Documentation: Intel's manuals provide detailed instruction sets.
- Online Courses: Platforms like Coursera and Udemy offer microprocessor programming courses.
- Community Forums: Stack Overflow, Reddit's r/Assembly, and other forums are valuable for troubleshooting.

## Conclusion

Programming the 8088 and 8086 microprocessors opens a window into the foundational principles of computer architecture and low-level programming. By downloading the right tools—asmsemblers, simulators, and documentation—you can begin exploring assembly language, understand how

hardware and software interact, and even develop your own programs for legacy systems or educational projects. Whether for hobbyist exploration or professional development, mastering these classic processors provides invaluable insights into the evolution of computing technology.

Start by downloading the essential tools today, experiment with sample programs, and deepen your understanding of how early microprocessors powered the computers that revolutionized the world.

Download the 8088 and 8086 Microprocessors Programming has become an essential topic for enthusiasts, students, and professionals interested in understanding the foundational architecture of early personal computers. These microprocessors, developed by Intel in the late 1970s and early 1980s, revolutionized the computing industry and laid the groundwork for modern CPU design. Learning how to program these processors requires a combination of understanding their architecture, assembly language, and available development tools. This article provides a comprehensive guide to downloading, setting up, and programming the 8088 and 8086 microprocessors, highlighting their features, pros and cons, and practical tips for beginners and advanced users alike.

## Introduction to the 8088 and 8086 Microprocessors

The Intel 8088 and 8086 microprocessors are 16-bit microcontrollers that marked a significant milestone in computer hardware evolution. The 8086 was introduced in 1978, featuring a 16-bit architecture and a 16-bit data bus, while the 8088, released in 1979, was a variant with an 8-bit external data bus, making it more compatible with existing 8-bit systems.

Key Features of 8086 and 8088:

- 16-bit register architecture
- Memory addressing up to 1MB
- Rich instruction set supporting complex operations
- Compatible with earlier microprocessors (e.g., Intel 8080 and 8085)
- Support for real mode addressing

These features made them suitable for a wide range of applications, from embedded systems to early personal computers like the IBM PC.

## Getting Started: Downloading Tools and Emulators

Before diving into programming, it's critical to have the right tools. Since hardware access to 8088/8086 processors is limited today, most developers rely on simulators, emulators, and assemblers.

## Popular Emulators and Assemblers

- DOSBox: An x86 emulator ideal for running classic DOS applications and early assembly programming environments.

Pros: Easy to set up, supports running original development tools.

Cons: Limited debugging features.

- EMU8086: A dedicated emulator for 8086 assembly programming with integrated assembler and debugger.

Pros: User-friendly GUI, step-by-step debugging, example programs.

Cons: Free version has limitations, commercial versions are paid.

- DOSBox + TASM (Turbo Assembler): Combining DOSBox with TASM allows assembly programming on modern systems.

Pros: Powerful, supports complex projects.

Cons: Slightly complex setup process.

- Open Source Assemblers: NASM, MASM (Microsoft Assembler), and others support 8086 syntax.

Pros: Free, widely supported.

Cons: May require command-line knowledge.

Download Links:

- EMU8086: [Official Website](<http://emu8086.com/>)
- DOSBox: [Official Website](<https://www.dosbox.com/>)
- TASM: Available from various archives or official sources.
- NASM: [<https://www.nasm.us/>](<https://www.nasm.us/>)

## Setting Up Your Development Environment

- Download and install DOSBox.
- Download EMU8086 or set up TASM with DOSBox.
- Configure environment variables or batch scripts for easy compilation.
- Test with sample programs such as "Hello World" or simple arithmetic.

## Understanding the Architecture for Programming

Before coding, an understanding of the architecture is vital. Both processors share many features, but their differences impact programming approaches.

### 8086 and 8088 Architecture Overview

- Registers: AX, BX, CX, DX, SI, DI, BP, SP, IP, FLAGS
- Segment Registers: CS, DS, ES, SS
- Memory Addressing: Segmented memory model, 16-bit segment:offset addressing
- Instruction Set: Rich set supporting data movement, arithmetic, logic, control, string, and I/O operations

Differences:

- 8086 has a 16-bit data bus; 8088 has an 8-bit external data bus, affecting system design.

Features Summary:

- Both support real mode operation, with 20-bit address bus.
- Support for interrupt handling, essential for OS development.
- Compatibility with 8080/8085 through instruction subset.

## Programming the 8088 and 8086: Basic Concepts

Programming these microprocessors typically involves assembly language programming, which provides fine control over hardware.

### Assembly Language Programming

Assembly language acts as a symbolic representation of machine code, making programming more manageable.

Key Aspects:

- Use of mnemonics (MOV, ADD, SUB, JMP, etc.)
- Managing registers and memory
- Handling segments and offsets
- Implementing control flow with jumps and loops

Example: A Simple "Hello World" Program in Assembly

```
``assembly

.model small

.stack 100h

.data

msg db 'Hello, 8086 World!', '$'

.code

main proc

mov ax, @data

mov ds, ax

mov ah, 09h

mov dx, offset msg

int 21h

mov ah, 4Ch

int 21h
```

main endp

end main

...

This program uses DOS interrupt 21h to display a string.

## Advanced Programming Techniques

Once comfortable with basics, programmers can explore:

- Interrupt handling and system calls
- I/O port communication
- String processing with MOVS, CMPS, SCAS
- Paging and memory management (more relevant in later architectures)

### Debugging and Optimization

- Use EMU8086's built-in debugger for step execution, register inspection, and breakpoints.
- Optimize code by minimizing memory access and using efficient instructions.

## Features and Limitations

Features:

- Rich instruction set for complex operations
- Segmented memory model allows addressing large memory spaces
- Compatibility with PC hardware interfaces

Limitations:

- Limited memory addressing (max 1MB)
- No built-in support for modern features like multi-threading or multi-core processing
- Assembly programming has a steep learning curve
- Hardware-specific, less portable than high-level languages

## Pros and Cons of Programming with 8088 and 8086

Pros:

- Excellent for understanding low-level hardware operations
- Useful for embedded systems and hardware interfacing
- Educational value in learning computer architecture

Cons:

- Complex syntax compared to high-level languages
- Limited application scope in modern systems
- Requires detailed knowledge of hardware and memory management

## Learning Resources and Community Support

- Books: "Assembly Language for Intel-Based Computers" by Kip Irvine
- Online Tutorials: Numerous blogs and YouTube tutorials focusing on 8086 assembly
- Forums: Stack Overflow, Reddit's r/asm, and other developer communities
- Sample Projects: Download and analyze open-source 8086 assembly programs

## Conclusion: Is it Worth Programming the 8088/8086 Today?

Despite their age, programming the 8088 and 8086 microprocessors remains a valuable educational activity. It offers deep insights into CPU architecture, assembly language, and low-level hardware interactions. With the availability of emulators and assemblers, enthusiasts can experiment without the need for physical hardware.

Final thoughts:

- Use emulators like EMU8086 or DOSBox to get started.
- Study their architecture to write efficient assembly code.
- Explore real-world applications, including emulating old software or understanding modern hardware foundations.
- Recognize the limitations but appreciate the historical significance and educational value.

By mastering these early microprocessors, programmers build a solid foundation for understanding

more complex CPU architectures and system programming fundamentals. Whether for academic purposes, hobby projects, or historical exploration, downloading and programming the 8088 and 8086 remains an enriching experience.

**QuestionAnswer** Where can I find reliable resources to download programming tools and simulators for the 8088 and 8086 microprocessors? You can find official and community-supported tools on websites like Intel's developer resources, GitHub repositories, and educational platforms such as NASM and DOSBox for emulation. Always ensure you download from reputable sources to avoid security risks. Are there any free software packages available to program the 8088 and 8086 microprocessors? Yes, there are free assemblers like NASM and MASM, as well as emulators such as DOSBox, which allow you to develop and test code for the 8088 and 8086 microprocessors without needing physical hardware. What are the best practices for downloading and setting up an environment for 8088/8086 microprocessor programming? Best practices include choosing reliable assemblers and emulators, following official documentation for setup, creating organized project directories, and testing simple programs to ensure the environment works correctly before advancing to complex projects. Can I run 8088/8086 assembly programs on modern operating systems after downloading the necessary tools? Yes, by using emulators like DOSBox or virtual machines with DOS, you can run 8088/8086 assembly programs on modern OSes such as Windows, Linux, or macOS. These tools simulate the environment needed for these microprocessors. How do I troubleshoot issues when downloading or setting up programming tools for the 8088/8086 microprocessors? Troubleshoot by verifying the integrity of downloaded files, checking compatibility with your OS, following installation guides carefully, and consulting online forums or communities for support when encountering errors. Are there any tutorials or sample code available for beginners to start programming the 8088 and 8086 microprocessors? Yes, many online tutorials, YouTube videos, and sample code repositories are available to help beginners learn 8088/8086 assembly programming. Websites like TutorialsPoint, Stack Overflow, and GitHub host valuable resources for newcomers.

**Related keywords:** 8088 microprocessor programming, 8086 assembly language, x86 microprocessor coding, Intel 8088 tutorial, 8086 instruction set, 8088 emulator, microprocessor software download, x86 assembly programming, 8086 hardware interfacing, 8088 programming examples

**Read the full article online:** [download the 8088 and 8086 microprocessors programming](#)